

NS Streetcar Line Portland, Oregon

Do TODs Make a Difference?



Jenny H. Liu, Zakari Mumuni, Matt Berggren, Matt Miller, Arthur C. Nelson & Reid Ewing

Portland State University

6/24/2014

Table of Contents

1-INTRODUCTION.....	6
Report Structure	6
2-DATA AND METHODS	7
Selection of Treatment corridor	7
Creation of Comparable Corridors.....	7
Comparable Corridors Criteria.....	8
Data Source and Extent.....	9
Data Processing.....	9
Study Area.....	9
3-EMPLOYMENT CONCENTRATION	12
Introduction	12
Data & Methods.....	12
Results & Discussion	13
4-EMPLOYMENT GROWTH BY SECTOR.....	15
Introduction	15
Data and Methods	15
Results & Discussion	17
5-EMPLOYMENT RESILIENCE.....	21
Introduction	21
Data and Methods	21
Results & Discussion	22
6-HOUSING AFFORDABILITY	24
Introduction	24
Data and Methods	24
Data Source and Geography	25
Data Processing.....	25
Results & Discussion	26
7-JOB ACCESSIBILITY	28
Introduction	28

Data & Methods.....	28
Results & Discussion	29
8-SUMMARY OF FINDINGS.....	31
9-REFERENCES.....	33
10-APPENDIX A	35
LEHD.....	35

Table of Figures

FIGURE 1: EXAMPLE CORRIDOR, BUFFERS, AND LED CENSUS BLOCK POINTS	9
FIGURE 2: TRANSIT AND COMPARABLE CORRIDOR LOCATIONS.....	11
FIGURE 3: TRANSIT SHIFT BY BUFFER DISTANCE.....	18

Table of Tables

TABLE 1: LOCATION QUOTIENTS COMPARISON FOR EXISTING TRANSIT AND COMPARABLE CORRIDORS.....	14
TABLE 2: SHIFT-SHARE ANALYSIS FOR 0.5 MILE BUFFER OF TRANSIT CORRIDOR.....	17
TABLE 3: SHIFTS BY CORRIDOR AND COMPARISON BETWEEN CORRIDORS.....	19
TABLE 4: INTERRUPTED TIME SERIES BETWEEN 2002-2007 AND 2008-2010	22
TABLE 5: AFFORDABILITY BY CORRIDOR.....	26
TABLE 6: H+T COSTS BY OCCUPATION.....	27
TABLE 7: JOBS-HOUSING BALANCE FOR INCOME CATEGORIES.....	29
TABLE 8: HOUSEHOLD MEDIAN INCOME BY DISTANCE BAND BY YEAR.....	30

Acknowledgements

This project was funded by the Oregon Transportation Research and Education Consortium (OTREC) through a grant provided by the National Institute of Transportation and Communities (NITC). Cash match funding was provided by the Utah Transit Authority (UTA), Salt Lake County (SLCo), the Wasatch Front Regional Council (WFRC), and the Mountainlands Association of Governments (MAG). In-kind match was provided by the Department of City and Metropolitan Planning at the University of Utah, and by the Nohad A. Toulon School of Urban Studies and Planning at Portland State University.

Disclaimer

The contents of this report reflect the views of the authors, who are solely responsible for the facts and the accuracy of the material and information presented herein. This document is disseminated under the sponsorship of the U.S. Department of Transportation University Transportation Centers Program in the interest of information exchange. The U.S. Government assumes no liability for the contents or use thereof. The contents do not necessarily reflect the official views of the U.S. Government. This report does not constitute a standard, specification, or regulation.

PROJECT TITLE

Project Title:
DO TODs MAKE A DIFFERENCE?

PRINCIPAL INVESTIGATOR

Name: Arthur C. Nelson	Title: Presidential Professor
Address: Metropolitan Research Center 375 S. 1530 E. Room 235AAC Salt Lake City, Utah 84112	University: University of Utah
Phone: 801.581.8253	Email: acnelson@utah.edu

CO-INVESTIGATORS (Add more rows for each additional co-investigator)

Name: Reid Ewing	Name: Jenny Liu		
University: University of Utah	University: Portland State University		
Address: Metropolitan Research Center 375 S. 1530 E. Room 235AAC Salt Lake City, Utah 84112	Address: School of Urban Studies & Planning P.O. Box 751 Portland, Oregon 97207		
Phone: 801.581.8255	Email: ewing@arch.utah.edu	Phone: 503.725.5934	Email: jenny.liu@pdx.edu

1-INTRODUCTION

This analysis was intended to help answer the following policy questions:

- Q1: Are TODs attractive to certain NAICS sectors?**
- Q2: Do TODs generate more jobs in certain NAICS sectors?**
- Q3: Are firms in TODs more resilient to economic downturns?**
- Q4: Do TODs create more affordable housing measured as H+T?**
- Q5: Do TODs improve job accessibility for those living in or near them?**

The first question investigates which types of industries are actually transit oriented. Best planning practices call for a mix of uses focused around housing and retail, but analysis provides some surprises. The second question tests the economic development effects of transit—do locations provided with transit actually experience employment growth? The third question is intended to determine the ability of employers near transit to resist losing jobs; or having lost jobs, to rapidly regain them.

The fourth research question confronts the issue of affordable housing and transit. Transit is often billed as a way to provide affordable housing by matching low-cost housing with employment. Yet proximity to transit stations is also expected to raise land values. Proximity to transit, however, may increase actual affordability, regardless of increases in housing costs, because of the reduction in transportation costs.

The final research question considers the relationship between workplace and residence locations. To be able to commute by transit, both the workplace and home must be near transit. Effective transit should increase both the number and share of workers who work and live along the transit corridor.

Report Structure

The rest of the report is structured as follows: The following section details the study area and corridors used for analysis in all of the research questions with each research question given its own section. Each section contains a short review of relevant research as well as a description of additional data sources and analytical techniques. Each section then provides relevant analysis, discussion of the analysis, and relevant conclusions. The report concludes with a summary of outcomes from each section.

2-DATA AND METHODS

Data from before and after the opening of a transit line was analyzed to determine if the advent of transit causes a significant change in area conditions. To control for exogenous factors (such as things affecting the entire metro area), changes in transit corridors were then compared to changes in comparable corridors located in the same metropolitan region, matching length, location, mix of land uses, and suitability for transit. As corridors differ primarily in their lack of transit, the corridor matching represents a ‘natural experiment’, where one corridor receives the treatment (a fixed guide-way transit line) and the comparable corridor acts as a control. Because of the need to perform this matching, this study used the corridor as its unit of analysis rather than station points. For most transit systems, stations lie within a mile of one another, so the areas are quite similar. Without a network analysis of walking paths, exact distances to transit are difficult to determine.

The remainder of this section describes the selection of existing transit (treatment) corridors, the creation of comparable corridors, and the data used for analysis. It also provides an overview of the transit corridor being analyzed.

Selection of Treatment corridor

The process began with Center for Transit Oriented Development (CTOD)’s TOD Database (July 2012 vintage). The database’s unit of analysis is the station. For each station there is information about the station’s location, providing both address and lat-long points. Station attributes include the transit agency for that station as well as the names of routes using that station. The database was enriched with the addition of transit modes for all stations. Many transit stations serve more than one mode.

While the database contained routes, it did not identify the corridor for each station. Most transit routes make use of multiple corridors. While routes change in response to operational needs, a corridor consists of a common length of right-of-way that is shared by a series of stations on the corridor. Typically, all stations along a corridor begin active service at the same time. Transit systems grow by adding additional corridors to the network. Initial systems may consist of only a single corridor.

Distinct corridors for each system were identified on the basis of prior transportation reports (Alternative Analysis, Environmental Assessments, Environmental Impact Statements, Full Funding Grant Agreements) as well as reports in the popular media. Whenever possible, a corridor that started operation after 2002 but before 2007 was preferred. Stations relevant to analysis were then queried out, and then imported into Google Earth as a series of points. Using aerial images, the path of the corridor was traced. The corridor was then exported as a KML file and imported into a geodatabase in ArcGIS.

Creation of Comparable Corridors

Numerous draft corridors were created and then compared with the existing transit corridor. The following criteria were used while creating a comparable corridor:

Comparable Corridors Criteria

1. Same MSA
2. Equal length
3. Existing transit route; express transit preferred
4. Direct; no doubling back
5. Anchored on both ends (unless the original line was not)
6. Anchors of equal magnitude; downtowns, transit centers, shopping centers, malls, etc.
7. Along a major corridor; major/minor arterial
8. Similar land use mix along the corridor; both corridors contain substantial commercial development
9. Conformity with existing rapid transit plans
10. Existing corridor; rail or highway
11. Similar relative nearness to a parallel freeway in both distance and degree
12. Commuter rail follows existing corridors; either rail or freeway

Keeping the comparable corridor in the same metro area reduced a large number of confounding effects. Maintaining the same length meant a similar amount of area was included in the analysis. Bus routes in analogous locations were used to create draft corridors. Because of their high cost per mile, rapid transit corridors tend to be direct. They also tend to be ‘stretched’ until they reach a reasonable terminus to anchor each end. Whenever possible, the type and magnitude of each anchor use was matched.

For comparable corridors, the emphasis was placed on creating corridors viable as transit corridors. This meant that corridors were contiguous and followed a continuous existing right-of-way that was viable as a transit corridor. Availability of right-of-way was the primary concern, and this dictated either existing major roads or existing railway right-of-way. For the former, highways and major arterials were preferred. For the latter, this meant the majority of right-of-way needed to follow an existing rail corridor. Whenever possible, proposed or future corridors from official planning documents were used, with some limitations.

For all commuter rail systems and most light rail corridors, the availability of right-of-way determines the location of the transit line. For many rail lines, this means that the transit corridor is located alongside incompatible or inappropriate uses, such as light industrial or low density single family residential units. These characteristics affect station accessibility. The mix of land uses along the corridor affects ridership in other ways. For instance, commercial locations generate more trips per acre than either residential or industrial uses, so similar levels of commercial exposure were sought in creating comparable corridors.

Finally, proximity to freeways was matched. The benefits ascribed to Transit Oriented Development (TOD) are on the basis of the improved accessibility provided by transit. Because freeways also provide accessibility, the confounding effect of proximity to a competing mode can be considerable.

Data Source and Extent

The data used originated from the Census Local Employment-Housing Dynamics (LEHD) datasets. Both the Local Employment Dynamics (LED) and LEHD Origin-Destination Employment Statistics (LODES) were used. Employment data is classified using the North American Industrial Classification System (NAICS), and data is available for each Census Block at the two-digit summary level. Data was downloaded for all years available (2002-2011). The geographic units of analysis are 2010 Census Blocks Points. The database contains information on employment within each block. The data was downloaded from <http://onthemap.ces.census.gov/>. The data was downloaded for each metro area, using the CBSA (Core Based Statistical Area) definitions of Metropolitan/Micropolitan. In cases where either the transit or comparable corridor extended beyond a CBSA metro area, adjacent counties were included to create an expanded metropolitan area.

There is a vast difference between Transit Oriented Development (TOD), and Transit Adjacent Development (TAD). The latter refers to any development happens to occur within the Transit Station Area (TSA), or half mile buffer around a fixed guide-way transit station, while the former refers to land uses and build environment characteristics hospitable to transit. This analysis assumes that while the existing development during the year of initial operations (YOIO) may not be TOD, land uses respond to changes in transportation conditions over time, phasing out TAD and replacing it with TOD. On this basis, the TOD is conflated with TSA for the purpose of this analysis.

Data Processing

ArcGIS was used to create a series of buffers around each corridor in 0.25 mile increments. Those buffers were then used to select the centroid point of the LED block groups within those buffers, and summarize the totals. Because the location of census block points varies from year to year (for reasons of non-disclosure), it was necessary to make a spatial selection of points within the buffer for each year rather than using the same points each year. [Figure 1](#) shows an example corridor, the buffers around the corridor, and the location of LED points in reference to both.

Study Area

This study examines the Portland Portland's NS Line. The NS Line is a 3.9




Figure 1: Example corridor, buffers, and LED census block points

mile long streetcar line that began service on July 20, 2001.

The NS Line corridor was chosen because it was the only streetcar line in existence during the study period. The comparable corridor was chosen because at the time of the study period it was slated to be a future streetcar line. The Portland Streetcar is a joint venture between TriMet, the City of Portland, and Portland Streetcar, Inc. This is the first streetcar line built in Portland. After the study period, an additional line opened on Portland's East Side.




Figure 2: Transit and comparable corridor locations

2-EMPLOYMENT CONCENTRATION

Introduction

This section is intended to determine if TODs are more attractive to certain NACICS industry sectors. Case studies indicate that economic development and land use intensification are associated with heavy rail transit (HRT) development (Cervero et al. 2004; Arrington & Cervero 2008). Case studies associated with light rail transit (LRT) have inconsistent results, suggesting that much of the employment growth associated with transit stations tends to occur before a transit station opens (Kolko 2011). A study by CTOD (2011) examined employment in areas served by fixed guide-way transit systems, and explored how major economic sectors vary in their propensity to locate near stations, finding high capture rates in the Utilities, Information, and Art/Entertainment/Recreation industry sectors.

Data & Methods

To analyze the difference in the attractiveness of TODs, location quotient was used to analyze the concentration of different industries over time. Location quotient is a calculation that compares the number of jobs in each industry in the area of interest to a larger reference economy for each corridor.

We define location quotient (LQ) "as a ratio of ratios" following Miller, Gibson and Wright (1991: 66):

$$LQ = \frac{\left(\frac{e_i}{\sum e}\right)}{\left(\frac{E_i}{\sum E}\right)} \quad \text{where:}$$

- e_i = Employment in industry i in corridor
- $\sum e$ = Total employment in corridor
- E_i = Employment in industry i in the metropolitan area
- $\sum E$ = Total employment in the metropolitan area

The analysis then compares the location quotients of each industry between each corridor for 0.25 mile and 0.5 mile buffers around each corridor. Because the Portland NS Streetcar Line corridor was already in operation in 2001 (our data spans 2002-2010), we are unable to compare the employment concentrations before and after its existence. Our analysis will focus on whether there were higher concentrations of employment opportunities along the transit line within each of the two buffer distances during the analysis period.

Both the existing and comparable corridors are located in pre-existing, built-up urban areas, so additional growth must occur through redevelopment of existing urban land. Therefore, the urban area that forms the denominator of the location quotient continues to grow through both development and redevelopment. With an expanding urban area, the location quotient for a fixed area would be expected to fall over time. Any increase in location quotient for a corridor should indicate locational advantage.

Results & Discussion

Table 1 shows the location quotients for the quarter mile and half mile buffers are presented below, for both the Existing and Comparable corridors. The average location quotient for two periods (one before the opening of the Portland Streetcar NS Line, and one after) has been calculated and compared, with changes over time reported. Finally, differences between the Existing and Comparable corridors were calculated and reported in the 'Corridor Differences' column. Both the Comparable corridor and Existing Transit corridor show strong changes in industry concentrations both before and after the Portland Streetcar began operation.

	Comparable (0.25 mi)			Existing (0.25 mi)			Corridor Differences (0.25 mi)		
	2002-2007	2008-2010	Change	2002-2007	2008-2010	Change	2002-2007	2008-2010	Change
Utilities	0.48	2.43	4.06	0.09	0.12	0.42	-0.39	-2.30	-3.64
Construction	0.98	1.35	0.39	0.32	0.35	0.10	-0.66	-1.00	-0.29
Manufacturing	0.49	0.45	-0.09	0.12	0.11	-0.09	-0.37	-0.34	-0.01
Wholesale	1.86	1.62	-0.13	0.27	0.23	-0.14	-1.58	-1.38	-0.01
Retail	0.64	0.59	-0.08	0.52	0.49	-0.04	-0.13	-0.10	0.04
Transportation	0.63	0.79	0.27	0.15	0.10	-0.30	-0.48	-0.69	-0.57
Information	0.49	0.45	-0.08	2.99	2.68	-0.10	2.50	2.24	-0.02
Finance	1.15	1.24	0.09	2.78	3.01	0.09	1.63	1.77	0.00
Real Estate	1.31	1.51	0.15	1.47	1.74	0.18	0.16	0.23	0.03
Professional	0.84	0.79	-0.06	2.20	2.56	0.16	1.37	1.77	0.22
Management	3.52	4.41	0.25	1.66	2.16	0.30	-1.86	-2.25	0.05
Administrative	1.42	1.08	-0.24	1.04	1.07	0.04	-0.39	-0.01	0.27
Education	0.69	0.57	-0.17	1.16	0.78	-0.33	0.47	0.21	-0.16
Health Care	0.74	0.66	-0.11	0.73	0.66	-0.08	-0.01	0.01	0.02
Arts, Ent., Rec	3.62	3.33	-0.08	0.87	0.80	-0.09	-2.75	-2.53	0.00
Lodging, Food	0.99	1.04	0.04	1.14	1.32	0.16	0.14	0.29	0.12
Other services	0.71	0.69	-0.02	1.05	1.18	0.12	0.35	0.49	0.14
Public Admin	1.49	1.61	0.08	2.96	2.26	-0.24	1.48	0.65	-0.32
	Comparable (0.5 mi)			Existing (0.5 mi)			Corridor Differences (0.5 mi)		
	2002-2007	2008-2010	Change	2002-2007	2008-2010	Change	2002-2007	2008-2010	Change
Utilities	0.31	1.51	3.93	2.27	1.93	-0.15	1.97	0.43	-4.08
Construction	1.18	1.43	0.22	0.60	0.61	0.01	-0.57	-0.82	-0.21
Manufacturing	0.49	0.45	-0.09	0.16	0.12	-0.21	-0.33	-0.32	-0.12
Wholesale	1.48	1.30	-0.13	0.32	0.26	-0.18	-1.17	-1.04	-0.05
Retail	0.85	0.86	0.01	0.56	0.56	0.01	-0.30	-0.30	0.00
Transportation	0.58	0.63	0.09	0.30	0.27	-0.13	-0.27	-0.36	-0.21
Information	0.75	1.08	0.44	2.63	2.39	-0.09	1.88	1.32	-0.53
Finance	0.83	0.87	0.05	2.59	2.75	0.06	1.76	1.88	0.01
Real Estate	1.17	1.31	0.12	1.41	1.51	0.07	0.23	0.20	-0.05

Professional	1.07	1.07	0.01	2.60	2.78	0.07	1.53	1.70	0.06
Management	2.35	2.90	0.23	1.99	2.37	0.19	-0.36	-0.53	-0.04
Administrative	1.16	0.93	-0.20	0.98	1.08	0.10	-0.18	0.15	0.30
Education	0.57	0.48	-0.15	0.83	0.57	-0.31	0.26	0.09	-0.16
Health Care	1.36	1.12	-0.17	0.60	0.56	-0.08	-0.75	-0.56	0.10
Arts, Ent., Rec	2.56	2.59	0.01	1.29	1.23	-0.05	-1.26	-1.36	-0.06
Lodging, Food	0.98	1.01	0.03	1.25	1.31	0.05	0.27	0.30	0.02
Other services	0.93	0.95	0.02	0.99	1.05	0.06	0.05	0.10	0.04
Public Admin	1.12	1.27	0.14	2.37	2.21	-0.07	1.25	0.94	-0.20

Table 1: Location quotients comparison for existing transit and comparable corridors

As shown in Table 1 above, industry sectors such as Utilities, Management, Lodging and Food and Real Estate registered positive changes in the 0.25 mile location quotient and show a higher concentration closer to the streetcar line, and other sectors such as Transportation, Education, Public Administration, and Wholesale were decreasing in job concentration around the streetcar line.

Attributing causal effect to transit lines is always problematic. Designing successful transit networks is largely a game of connect-the-dots, linking together major employment centers with employee housing along congested corridors. The Portland NS Streetcar Line connects the northwest Nob Hill district with the Pearl District, and then reaches downtown Portland before connecting to Portland State University at its southern terminus. A careful study of the differences in location quotient in Table 1 above reveals different patterns of economic development and employment concentration with the quarter-mile and half-mile buffers, for both the Existing and Comparable corridors. Within the quarter-mile buffer, Administrative, Professional and Other Services industries showed the greatest increases in the Existing streetcar corridor compared to the Comparable corridor. On the other hand, within the same quarter-mile buffer, Utilities, Transportation and Public Administration industries experienced greater loss of job concentration.

For the 0.5 mile buffer around the Existing Transit corridor, there are notable increases in the Administrative and Professional industries when compared to the Comparable corridor, while smaller increase are registered for the Other Services, Lodging and Food and Finance industries. On the other hand, these sectors lost the most jobs: Utilities, Information and Public Administration. As the areas around the Portland NS Streetcar Line are becoming more accessible for both residents, workers and consumers, it is reasonable that many industries providing professional services are becoming more concentrated along the streetcar corridor while others that may have fewer demands for consumer access (such as Information or Public Administration) or have higher needs for space show a gradual shift out of corridors that are made easily accessible by a streetcar line.

3-EMPLOYMENT GROWTH BY SECTOR

Introduction

This section is intended to determine if TODs generate more jobs in certain NAICS sectors. To determine if the new jobs are actually created as a result of proximity to transit, it is necessary to determine what portion of changes in employment can be attributed to transit and what portion changes is determined by other factors.

In theory, employment in different NAICS sectors should be variable depending on the NAICS code, as some NAICS industry sectors are better able to take advantage of the improved accessibility offered by transit. For example, industries in which employment is characterized by low-income workers in need of affordable transportation or salaried office workers with long distance commutes are more likely to make use of transit. Likewise, arts and entertainment venues prone to serious congestion (due to their high peaks of visitors) would also benefit. Finally, large institutions with large parking demands (universities, colleges, hospitals, and some government offices) could be expected to find proximity to transit valuable.

It is difficult to determine to what degree employment growth is caused by location near transit, and what is a product of self-selection, as rapidly growing industry sectors locate next to transit. Shift-Share analysis helps answer this question.

Data and Methods

A shift-share analysis attempts to identify the sources of regional economic changes, in attempt to identify industries where a local economy has a competitive advantage over its regional context. Shift-share separates the regional economic changes within each industry into different categories and assigns a portion of that the change to each category. For the purpose of this analysis, these categories are Metropolitan Growth Effect, Industry Mix, and the Corridor Share Effect.

1. Metropolitan Growth Effect (Metro Share) is the portion of the change attributed to the total growth of the metropolitan economy. It is equal to the percent change in employment within the area of analysis that would have occurred if the local area had changed by the same amount as the metropolitan economy.
2. Industry Mix effect (Industry Mix) is the portion of the change attributed to the performance of each industrial sector. It is equal to the expected change in industry sector employment if employment within the area of analysis had grown at the same rate as the industry sector at the metropolitan scale (less the Metropolitan Growth Effect).
3. Corridor Share Effect (Transit Share) is the portion of the change attributed to location in the corridor. The remainder of change in employment (after controlling for metropolitan growth and shifts in the industry mix) is apportioned to this variable. Within regions, some areas grow faster than others, typically as a result of local competitive advantage. While the source of competitive advantage cannot be exactly identified, the methods of analysis used suggest that

the cause of competitive advantage can be directly attributed to the presence of transit, or factors leveraged by the presence of transit.

The formula below was used for the shift-share analysis:

Shift-Share = Metro Share + Industry Mix + Transit Share

where:

$$\text{Metro Share} = C_i^0 \cdot \left(\frac{M^1}{M^0} \right)$$

$$\text{Industry Mix} = \left\{ C_i^0 \cdot \left(\frac{M_i^1}{M_i^0} \right) \right\} - \text{Metro Share}$$

$$\text{Transit Share} = C_i^0 \cdot \left(\frac{C_i^1}{C_i^0} - \frac{M_i^1}{M_i^0} \right)$$

where:

C_i^0 = Number of corridor jobs in industry (i) at the beginning of the analysis period (0)

C_i^1 = Number of corridor jobs in industry (i) at the end of the analysis period (1)

M^0 = Total Metro jobs at the beginning of the analysis period (0)

M^1 = Total Metro jobs at the end of the analysis period (1)

M_i^0 = Metro jobs in industry (i) at the beginning of the analysis period (0)

M_i^1 = Metro jobs in industry (i) at the end of the analysis period (1)

Results & Discussion

A shift-share analysis of changes in employment within a 0.5 mile buffer of the transit corridor is presented in [Table 2](#). The first batch of columns shows changes in employment by sector within a 0.5 mile buffer of the transit corridor between 2007 and 2010. The second batch of columns shows the changes in employment by sector in the Portland metropolitan area. The third batch of columns shows the results of the shift-share analysis, and apportions the source of employment change between the three categories of Metro Share, Industry Mix and Transit Shift.

NAICS Sector	Half Mile Buffer			Metro			Shift-Share Sources of Employment Change		
	2007	2010	% Change	2007	2010	% Change	Metro Share	Industry Mix	Transit Shift
Utilities	1,500	1,564	4.3%	6,557	7,466	13.9%	0%	213	-10%
Construction	13,733	10,751	-21.7%	115,290	75,530	-34.5%	-47	-4,689	13%
Manufacturing	21,629	21,391	-1.1%	179,599	161,654	-10.0%	-73	-2,088	9%
Wholesale	17,640	15,214	-13.8%	87,450	81,771	-6.5%	-60	-1,086	-7%
Retail	11,859	10,648	-10.2%	181,403	172,673	-4.8%	-40	-530	-5%
Transportation	13,861	13,001	-6.2%	71,638	66,722	-6.9%	-47	-904	1%
Information	2,604	2,508	-3.7%	70,499	94,114	33.5%	-9	881	-37%
Finance	3,415	2,946	-13.7%	69,052	61,725	-10.6%	-12	-351	-3%
Real Estate	3,109	2,749	-11.6%	35,475	32,602	-8.1%	-11	-241	-3%
Professional	10,759	11,608	7.9%	113,475	116,874	3.0%	-37	359	5%
Management	6,210	5,090	-18.0%	29,320	28,582	-2.5%	-21	-135	-16%
Administrative	9,941	8,837	-11.1%	98,067	84,368	-14.0%	-34	-1,355	3%
Education	5,622	5,889	4.7%	138,129	142,042	2.8%	-19	178	2%
Health Care	6,739	7,214	7.0%	187,444	209,255	11.6%	-23	807	-5%
Arts, Ent., Rec.	3,285	3,472	5.7%	37,126	39,348	6.0%	-11	208	0%
Lodging, Food	9,052	8,402	-7.2%	132,078	126,601	-4.1%	-31	-345	-3%
Other Services	4,958	5,110	3.1%	71,561	97,218	35.9%	-17	1,794	-33%
Public Admin	15,801	16,631	5.3%	72,787	92,641	27.3%	-54	4,364	-22%
Total	161,717	153,025	-5.4%	1,696,950	1,691,186	-0.3%	-544	-2,920	-5%

Table 2: Shift-share analysis for 0.5 mile buffer of transit corridor


The entire Portland metro area lost 0.3% jobs, mainly in Construction, Administrative, Manufacturing, Finance, Real Estate, Management and Transportation sectors between 2007 and 2010. There was about 5.4% total loss in employment within the 0.5 mile buffer, concentrated in Construction, Management, Wholesale, Administrative, Real Estate and Retail sectors. The shift-share analysis itself

shows different trends. After controlling for metropolitan growth and shift in the industry mix, the effect of the transit corridor on employment was negative for the streetcar corridor. The sectors that gained employment as a result of transit corridor impacts within the 0.5 mile included Professional, Health Care, Arts, Entertainment & Recreation and Public Administration.

Rather than presenting a series of tables for all buffers, [Figure 3](#) presents the numeric shift for each industry by buffer distance in quarter mile increments out to 0.5 miles. This makes it possible to make a visual inspection of the relationship between proximity to transit and the magnitude of the ‘transit shift’. The magnitude of effect should be greatest near the transit corridor, and fade out with increasing distance from the transit station. Previous research indicates that the effect of transit on employment can be noticed out to a half mile distance, but is only statistically significant within a quarter mile.

While the analysis is presented out to 0.5 miles for the purpose of trend analysis, the larger the buffer around the transit corridor, the less the magnitude of effect transit on that area, and the increasing potential to be confounded by picking up the effects of unrelated phenomena. In the context of which, outliers should be disregarded.

Figure 3: Transit Shift by Buffer Distance



Analysis of the Corridor Share Effect is presented for both the transit and comparable corridors in [Table 3](#). This analysis is intended to confirm that the corridor share effects attributed to transit are specific to

the transit corridor, and not the result of another effect. Namely, the Transit Advantage shows the change in employment due to the Corridor Share Effect (Transit Shift minus Control Shift).

NAICS Sector	Control Shift	% Shift	Transit Shift	% Shift	Transit Advantage
Utilities	(37)	0%	(29)	0%	8
Construction	(174)	0%	779	1%	953
Manufacturing	(4,440)	-3%	1,101	1%	5,542
Wholesale	(92)	0%	(1,107)	-1%	(1,015)
Retail	(80)	0%	(388)	0%	(308)
Transportation	132	0%	209	0%	77
Information	(558)	-1%	(344)	0%	214
Finance	(197)	0%	(74)	0%	123
Real Estate	(221)	-1%	95	0%	316
Professional	64	0%	(157)	0%	(221)
Management	86	0%	34	0%	(52)
Administrative	(1,493)	-2%	(857)	-1%	636
Education	(280)	0%	(291)	0%	(11)
Health Care	142	0%	289	0%	147
Arts, Ent., Rec.	437	1%	(36)	0%	(473)
Lodging, Food	(148)	0%	(113)	0%	35
Other Services	(1,251)	-1%	(762)	-1%	489
Public Admin	(2,215)	-2%	(663)	-1%	1,552
Total	(10,327)	-9%	(2,314)	-3%	8,012

Table 3: Shifts by corridor and comparison between corridors

Drawing any conclusion for the Portland NS Streetcar Line is difficult due to confounding factors. The corridor shift associated with the transit and comparable corridors are substantially different for most industries. The corridor effect for the transit corridor is stronger for Manufacturing, Construction, Health Care and Transportation, while the comparable (control) corridor does substantially better in Arts, Entertainment & Recreation, and Management.

Without more rigorous controls, it is difficult to attribute all of the corridor effect to the streetcar line. The corridor was not arbitrarily chosen, but rather a process of 'connecting the dots' between major regional employment centers. The Portland NS Streetcar Line connects the northwest Nob Hill district with the Pearl District, and then reaches downtown Portland before connecting to Portland State University at its southern terminus. Based on the results of the shift-share analysis, there are industries that are strongly attracted to streetcar transit corridors. The percent change, shift-share, and contrast with the comparable corridor all indicate that proximity to the Portland NS Streetcar Line appeared to be more attractive to Manufacturing, Public Administration, Administrative and Other Services.

The analyzed corridors in Portland experienced job loss during the 2007 to 2010 period as a result of the Great Recession, but the number of jobs lost attributed to the Corridor Share Effect is lower in the transit corridor as opposed to the comparable corridor. This effect is particularly striking within the Construction and Manufacturing industries which experienced negative employment concentration growth in the comparable corridor, but showed gains in employment in the transit corridor which are attributed to transit in the shift-share analysis.

4-EMPLOYMENT RESILIENCE

Introduction

Resilience is a characteristic defined as the ability to absorb and recover from shocks or disruptions. Resilient systems are characterized by diversity and redundancy. The resilience of employment is a critical factor in community economic health. For many communities, the loss of a single primary employer can be catastrophic, resulting in a state of sustained collapse. Employment resilience is the capacity to recover from such disruptions, due to locational characteristics.

Access to transit can help improve employment resilience because proximity to transit is a source of competitive advantage for some industries. Firms located near transit also benefit from reduced employee and visitor parking needs. This translates into an ability to economize on the size of parcels required, both reducing costs and increasing the number of viable sites for business locations.

Transit provides a mechanism to meet transportation needs and usual or unexpected conditions such as an automobile breakdown or lower income; it provides alternate transportation options during conditions that impair other modes: weather, construction projects, or accident-induced delay; finally, it provides accessibility to a population unable to drive such as the young, the elderly, and the poor (VPTI, 2014). These factors act to reduce tardiness and absenteeism, thus reducing employment turnover.

Transit also helps create ‘thick’ markets for employment, whereby employees can match themselves to numerous different employment opportunities. This reduces the time necessary to find matches, reducing unemployment duration and the unemployment rate.

Data and Methods

An interrupted time series was used to compare the resilience of employment in both areas to determine if proximity to transit represents a locational advantage. An interrupted time series divides a time series dataset into two time series and compares the differences. The time series datasets are separated by an ‘interruption’. For the purpose of this analysis, the interruption is the Great Recession, considered to have begun in 2007.

If an interruption has a causal impact, the second half of the time series will display a significantly different regression coefficient than the first half. Failure to be adversely affected by a severe economic shock indicates employment resilience. A low R-squared (R^2) represents larger variability in total employment. Industry sectors with a high R^2 demonstrate robust trends, indicating that employment failed to change regardless of the effects on the larger economy. The former represents the relationships between the change in variables, and the latter how much of the variance in the data is explained by the regression equation—a measure of the ‘goodness’ of the regression.

Results & Discussion

In Table 4, the differences in employment in each sector along the transit corridor are displayed. This study shows how many jobs were lost or gained between the year spans of 2002-2007 and 2008-2010. The trend number is the linear regression line on industry employment over time, or the slope of the regression line. Trend indicates whether total employment increases or decreases during each time period. A negative trend indicates sustained loss of employment while a positive trend indicates a sustained gain. The difference column reports the change in trend between the two time periods. A positive value for the difference number represents a change from employment loss to employment gain, or a reduction in the rate of decline in employment for that industry. Finally, the significance column (R^2) indicates how strong a trend is. Industry sectors with a high R^2 demonstrate robust trends—trends in employment change that are consistent over time with less tendency to fluctuate.

The industries with the most robust or significant trends were Real Estate (0.999), Construction (0.989), and Wholesale (0.982). Although Health Care and Public Administration sectors experienced significant losses in the number of jobs, the strength of the trend (significance) is not as high as the previously mentioned industries.

Table 4: Interrupted Time Series between 2002-2007 and 2008-2010

Sector	Difference	Significance
Utilities	-459.93	0.117
Construction	48.37	0.989
Manufacturing	482.16	0.953
Wholesale	-88.74	0.982
Retail	-166.48	0.981
Transportation	-46.36	0.985
Information	-624.89	0.705
Finance	-308.13	0.911
Real Estate	0.78	0.999
Professional	125.69	0.971
Management	-60.28	0.968
Administrative	533.53	0.888
Education	-146.87	0.981
Health Care	-2077.77	0.777
Arts, Ent., Rec.	-190.17	0.847
Lodging, Food	-706.18	0.888
Other Services	-256.80	0.917
Public Admin	-1153.56	0.583
Total	-5095.63	0.935

To be resilient is to have the capacity to endure shocks and recover to a previous equilibrium. That equilibrium may refer to a prior employment level, or to a prior employment trend. Manufacturing, Administrative and Professional industries did better than their prior trend before the Great Recession. These are also the industries that showed the most robust significance in its employment trends, possibly indicating their economic resilience compared with other industries.

Some caveats are necessary. Employment in any industry sector is variable over time, and the amount of variability increases with smaller geographic units of analysis. Because the geographic unit of analysis is small, the amount of fluctuation is larger. Changes might 'average out' over a larger unit of geographic aggregation have may have significant effects. In a given year, the relocation of a single firm, or the addition of a new building, would be sufficient to dramatically change employment trends in any industry. Finally, the area within a half-mile buffer is fixed, so new development requires the displacement of existing development. The new development may employ workers in different industries, or new residential development may replace existing employment.

6-HOUSING AFFORDABILITY

Introduction

It is not always possible to maintain a supply of affordable housing for a growing population by adding additional housing at the urban periphery. Such locations are the furthest from employment and services, requiring long distance travel to meet basic needs. Total cost of automobile ownership is considerable, given not only the cost of the automobile itself, but also the operations and maintenance costs associated with fuel, insurance, and repairs. Housing in exurban locations may be cheap without actually being affordable.

It is necessary for housing affordability to include both housing and transportation costs. Housing costs do not exist in isolation but within the context of transportation costs. While housing in an urban location with transit access may cost more than suburban housing, it may still be more affordable once the effect of associated transportation costs have been taken into account. Low-income households tend to spend a high proportion of their income on basic transportation (VPTI 2012). Faced with high transportation costs, close proximity to public transit networks is an effective solution. Populations in poverty remain concentrated in central cities partially because such locations enjoy high quality public transit (Glaeser et al., 2008).

While the effects of heavy rail transit on housing affordability has been extensively researched, the effects of non-heavy rail Transit Oriented Development (TOD) on housing affordability is mixed. Matching low-income employment to high-income housing fails to improve housing affordability, and matching high-income employment to low-income housing may actually decrease affordability through gentrification-induced displacement. Maintaining affordable housing through TODs may require the allocation of affordable housing resources (NAHB, 2010). A review of the hedonic literature reporting the price effects of transit stations on housing suggests that TODs may be an anathema to the provision of affordable housing, given their propensity to increase housing values (Bartholomew & Ewing, 2011).

Calthorpe (1993) initially proposed a ten-minute walk, or about 0.5 mile radius, as the ideal size for a TOD. Empirical studies confirm that while the majority of walk trips occur for distances equal to a half mile, the effects of proximity to transit can be detected out to 1.5 miles away (Nelson, 2011). Access to fixed guide-way transit systems are frequented by non-walk modes, including bicycle, bus, and automobile. The characteristics of the built environment within a mile buffer of station can still affect transit ridership (Guerra, Cervero, & Tischler 2011).

Data and Methods

This section describes the data and techniques used for the analysis. Unlike all other analyses contained in this report, this housing and transportation affordability analysis included data from multiple 0.25 mile buffers, not just a single 0.5 mile buffer. Doing so makes it possible to relate the magnitude of the effect of proximity to transit. Near things are more related than distant things (Tobler, 1970). This makes it possible to track the magnitude of effect for proximity to transit. The area within the smallest buffers should show the strongest reaction.

Data Source and Geography

This study uses Housing + Transportation (H+T) Affordability Index developed by the Center for Neighborhood Technology (CNT). The Index was initially developed for St. Paul, Minnesota in 2006. By the end of the 2006 year, the Center for Housing Policy had expanded the H+T index to include 28 metros. With support from the Brookings Institution, it was expanded to 52 metropolitan areas in 2008. In March 2010, CNT included additional metros in the index, for a total of 337 metropolitan areas. The H+T Index has since been expanded to include almost 900 metro areas. The 2010 vintage was used for this analysis.

The unit of analysis for the dataset is the 2000 Decennial Census Block Group. The data extent is the Census 2000 Metropolitan Areas. The H+T Index was developed using Decennial Census 2000 data, and then expanded to a time series format using data from the American Community Survey five-year estimates, 2009 vintage. Differences in Census data collection procedures means the two dataseries are not directly comparable. As a result, transportation costs were calculated using the National Median Income. This may result in over-estimation or underestimation of the value transportation cost amounts, but suffices for the purpose of trend detection.

This analysis makes use of five characteristics: Transportation Costs, Transportation Costs as a percent of income, Housing Costs, Housing Cost as a percent of Income, and H+T costs as a percent of income. Data from both the 2000 and 2009 time periods were used.

Data Processing

Census Block Groups represent an unacceptably large geography for transit relevant analysis. It was necessary to devise an alternative to determining buffer membership by selecting a centroid. Instead, ArcGIS was used to create a series of buffers around each corridor, in 0.25-mile increments, out to 2 miles. Those buffers were then used to clip the block groups. The H+T characteristics of each block were then weighted by weighted by geographic ratio. The geographic ratio is the ratio between the area of the block group, and the area of the portion of the block group that was within a buffer. For instance, if a block group represented 3% of the area in the buffer, H+T characteristics for that block group received a weight of 3%. The weighted variables were then summed to obtain a geographically weighted value for the buffer.

For the purpose of comparison, a metro H+T Index was devised. Because the metropolitan area contains all census blocks, characteristics could not be weighted by area. Nor would it have been appropriate to do so. Census block groups are intended to contain similar amounts of population, rather than volumes of area, so the size of Census block groups varies by orders of magnitude. Consequently, the comparison H+T Index value for the metro area was calculated by weighting the block group characteristics by Census 2000 block group population. This weighted average is intended to provide a referent for what are normal H+T values for the metropolitan area.

This analysis makes use of seven characteristics from the location affordability index: housing costs as a percentage of income and transportation costs as a percentage of income, for owners, renters, and all

households in the region. Additionally, it makes use of the median income to translate percentages into dollar amounts.

Results & Discussion

This study used changes over time in the H+T Index (Housing+Transportation) developed by the Center for Neighborhood Technology (CNT) to detect the effects of the availability of fixed guide-way transit on housing affordability. It is necessary for housing affordability to include both housing and transportation costs. Housing costs do not exist in isolation, but in the context of transportation costs. Total cost of ownership associated with second and third cars is considerable, considering not only the cost of the automobile itself, but the operations and maintenance costs associated with fuel, insurance, and repairs. It is not always possible to maintain a supply of affordable housing for a growing population by adding additional housing at the urban periphery. Located on the fringe of the urbanized area, such locations are the furthest from employment and services, requiring traveling long distances to meet basic needs. Locating by transit should reduce these costs.

Overall, the analysis revealed that locating closer to transit was associated with affordability. Table 5 shows that as a household locates closer to a transit line, the portion of their income spent on housing and transportation declined by 3.7% and 4.64%, after controlling for housing and transportation costs within the comparable corridor in the quarter-mile and half-mile buffers. It was not surprising to find that housing and transportation costs declined slightly for those households living closest to the Portland streetcar transit line since travelers self-select to live in TODs “due to habit, personal taste, or happenstance” (Cervero, 1994, p. 177).

Table 5: Affordability by Corridor

Corridor	2009		
	Comparable	Existing	Difference
Quarter-Mile	41.85	38.15	-3.70
Half-Mile	42.44	37.80	-4.64
Differences	0.59	0.35	-0.94

In addition to changes in over-all affordability, there were changes in the affordability by occupation. Different occupations have different wages, which change at different rates over time. Comparing wage income by industry to the housing plus transportation costs for each industry sector shows a general fall in affordability. While there is little change in which occupations by industry sector are able to afford housing in either corridor, the percent of the income that must be devoted to each changes over time.

Table 6: H+T Costs by Occupation

Industry	2009			
	Existing $\frac{1}{4}$	Existing $\frac{1}{2}$	Comparable $\frac{1}{4}$	Comparable $\frac{1}{2}$
Agriculture, forestry, fishing, and hunting	0.628	0.623	0.689	0.699
Mining	0.246	0.244	0.270	0.274
Utilities	0.245	0.243	0.269	0.273
Construction	0.410	0.407	0.450	0.456
Manufacturing	0.374	0.371	0.410	0.416
Wholesale trade	0.331	0.328	0.363	0.368
Retail trade	0.688	0.682	0.755	0.766
Transportation and warehousing	0.443	0.439	0.486	0.493
Information	0.278	0.275	0.305	0.309
Finance and insurance	0.254	0.252	0.279	0.282
Real estate and rental and leasing	0.454	0.450	0.498	0.505
Professional, scientific, and technical services	0.268	0.266	0.294	0.298
Management of companies and enterprises	0.222	0.220	0.244	0.247
Administrative and waste management services	0.584	0.579	0.641	0.650
Educational services	0.526	0.522	0.577	0.586
Health care and social assistance	0.444	0.440	0.487	0.494
Arts, entertainment, and recreation	0.497	0.492	0.545	0.553
Accommodation and food services	0.917	0.909	1.006	1.020
Other services, except government	0.615	0.610	0.675	0.685
Government	0.375	0.371	0.411	0.417

7-JOB ACCESSIBILITY

Introduction

Commuters have the ability to travel long distances more rapidly by fixed guide-way transit, making it possible to connect to destinations that are otherwise too distant. Transit Oriented Development (TOD) is based on the premise that locating housing and employment in close proximity to transit stations will significantly enhance the accessibility of those locations. Because each transit line connects multiple stations, it creates a Transit Oriented Corridor (TOC) where people can live or work near any station and use the rapid transit system to access destinations at any other station along the corridor. Therefore, transit oriented development should significantly enhance employment accessibility along the corridor.

To achieve jobs-housing balance, there should be a rough proportionality between the amount of employment and the amount of housing. However, merely matching the total number of jobs and housing along a corridor is not enough. In recent years, the jobs-housing balance has been refined to include how well jobs (by income) are matched to housing (by income), to ensure that people working in the corridor can afford to work in the corridor. Proximity to light rail stations and bus stops offering rail connections is associated with low-wage job accessibility, but proximity to bus networks alone does not show the same correlation (Fan et al., 2012). To check the degree of match between employment and residence, this analysis controls for both low and high wages. To further check for the degree of match, it compares the occupation balance of how well the number of people employed in the corridor matches the number of people residing in the corridor. If an industry is making heavy use of transit along the corridor, the numbers should be near equivalent.

If transit has a positive effect on jobs-housing balance, there should be a detectable change in the employment resident balance for both wage categories and for all occupation categories. Comparing the changes in these balances to the comparable corridor will ensure that the effect is contingent upon the transit corridor rather than metropolitan trends.

Data & Methods

The data used comes from the Census Local Employment-Housing Dynamics (LEHD) data source, using the Local Employment Dynamics (LED) datasets. Because the LODES data contains both place of employment and place of residence, it is possible to aggregate data to obtain both workplace area characteristics (WAC) and residential area characteristics (RAC). The ratio between the total workers at these different geographies was used as the jobs-housing balance. Corridors with better jobs-housing balance were presumed to have better job accessibility.

Three analyses were performed to determine job accessibility within the corridors: overall jobs-housing balance, jobs-housing balance by earnings category, and overall job accessibility. In addition to providing total number of employees per Census Block, the LED employment data is classified by earnings category. The LED classifies income by monthly earnings, into the following categories:

- \$1250/month or less
- \$1251/month to \$3333/month
- Greater than \$3333/month

The categories have been treated as low-medium-high income classifications. The actual monthly values are less significant than changes over time in the distribution of each of the categories in proximity to the transit corridor. LED employment data is also classified by industry, using the North American Industrial Classification System (NAICS) at the two-digit summary level.

ArcGIS was used to create a series of buffers around each corridor in 0.25 mile increments. Those buffers were then used to select the centroid point of the LED block groups within those buffers, and summarize the totals. Because the location of census block points varies from year to year (for reasons of non-disclosure), it was necessary to make a spatial selection of points within the buffer for each year, rather than using the same points each year. For this analysis, on the 0.5 mile buffer was used.

Results & Discussion

This section tests how well transit actually achieves these aims using several tests: an analysis of the job-housing balance, job-income shares, incomes by corridor, and affordability by occupation. The job-housing balance compares the total number of jobs to the total number of housing using LED data about 'workplace area characteristics' (WAC) to that of 'residential area characteristics' (RAC) segmented by category of income between 2002 and 2010.

Ideally, the two are balanced, and transit should have an effect of moving the amount of jobs and amount of housing toward parity. As the following table shows, for the Portland MAX Yellow Line corridor, there is a major jobs-housing imbalance, with a much larger number of jobs in both the quarter mile and half mile radius. The imbalance is greater closer to the transit corridor, and is greater for high-income jobs than for medium income or low income jobs.

Generally, job-housing imbalance seemed to decrease with proximity to the transit line due to the combined effect of loss of jobs and inadequate housing. At the half-mile radius of the transit line, the average ratio of workplace to residence was at 5.88:1 (see [Table 7](#)), representing a 4.4% decline from the 0.25 mile corridor. The trend of jobs-housing balance reflects an uneven growth in jobs and housing, with greater growth in higher income residents and slower growth of employment opportunities. In the years after the opening of the transit line, there is a notable decline in the percent share of low-income and medium-income workers residing near the transit line, while the share of high income workers either working or residing near the transit corridor rises

Table 7: Jobs-housing balance for income categories

Years	LOW			MEDIUM			HIGH			Avg.
	Work	Home	Ratio	Work	Home	Ratio	Work	Home	Ratio	
2002	24690	3922	6.3	46750	5114	9.1	46712	3743	12.48	9.25
2003	24077	4034	6.0	44303	5101	8.7	46421	3985	11.65	8.75
2004	22641	3957	5.7	37565	4956	7.6	43025	4099	10.50	7.93
2005	22607	3882	5.8	38002	5266	7.2	44462	4585	9.70	7.65
2006	22665	4820	4.7	37923	6446	5.9	48964	6608	7.41	6.13
2007	21633	4750	4.6	37138	6510	5.7	52783	6899	7.65	6.14
2008	21873	4528	4.8	37001	6531	5.7	55662	7734	7.20	6.09
2009	19526	3987	4.9	34759	5806	6.0	54900	7179	7.65	6.43

2010	18288	4187	4.4	33037	5733	5.8	54491	8159	6.68	5.85
2011	17979	3826	4.7	33109	5524	6.0	55961	8856	6.32	5.88

Clearly, proximity to transit had negative income effects over time (see [Table 8](#) below). Within a quarter-mile of transit, there appeared to be growth of income over the years at a faster pace than the comparable corridor. Similarly, within the half-mile buffer of transit, incomes appreciated over. However, the negative income effects were more pronounced when comparing the quarter-mile buffers to the half-mile buffers: in all years, median household income is slightly higher as you get farther from the corridor. Across the board, median household income is lower in the existing corridor than in the comparable corridor.

Buffer	Comparable			Existing			Differences		
	2000	2009	2011	2000	2009	2011	2000	2009	2011
Quarter-Mile	39,020	35,389	35,584	34,590	34,590	37,534	4,430	799	1,950
Half-Mile	40,863	39,142	38,698	38,338	38,172	39,036	2,525	970	338
Differences	-1,843	-3,753	-3,114	-3,748	-3,582	-1,502	1,905	-171	1,612

Table 8: Household Median Income by distance band by year

We reach the following conclusions regarding job accessibility close to the transit line: (1) uneven distribution of jobs and housing; (2) higher likelihood of being poor; and (3) uneven jobs-housing balance for difference income groups. From these findings, it is possible to conclude that the uneven distribution of jobs coupled with lower job accessibility was making it difficult for households to move up on the economic ladder because they may have to pay more for housing and transportation.

8-SUMMARY OF FINDINGS

Summaries of the results of the analysis for the five policy questions below.

Are TODs attractive to certain NAICS sectors?

Do TODs generate more jobs in certain NAICS sectors?

Are firms in TODs more resilient to economic downturns?

Do TODs create more affordable housing measured as H+T?

Do TODs improve job accessibility for those living in or near them?

Q1: Attractiveness to NAICS sectors (Location quotient)

Transit corridor

- Most attractive: Finance, Information, Professional
- Least attractive: Transportation, Manufacturing, Utilities

Transit advantage over comparable corridor

- Substantial: Administrative, Professional
- Minor: Lodging and Food, Other Services, Management

Q2: Do TODs generate more jobs in certain NAICS sectors? (Shift-share analysis)

Change in transit corridor

- Employment in commuter rail corridor shrank more than metropolitan area
- Substantial percentage increases: Professional, Health Care and Arts, Entertainment & Recreation
- Substantial percentage reductions: Construction, Management

Shift-share analysis – Transit Shift

- Although Construction sector showed decreases in employment numbers, shift-share analysis shows largest positive contributions towards this industry.
- Employment in Manufacturing, and Professional industries are also positively impacted by transit

Transit advantage over comparable corridor

- Transit advantage is strongest for Public Administration, Other Services, Manufacturing
- Strong transit disadvantage exists for Wholesale, Arts, Entertainment & Recreation

Q3: Are firms in TODs more resilient to economic downturns? (Difference-In-Difference)

In this example, resilience is defined as the capacity to maintain a positive trend despite the economic shock of the 'Great Recession'. We utilized a interrupted time series estimation to analyze resilience within each industry.

- Positive signs of resilience: Manufacturing, Administrative
- Negative signs of resilience: Health Care and Public Administration (but these trends are not robust)

Q4: Do TODs create more affordable housing measured as H+T? (Housing affordability)

This report uses the Housing + Transportation (H+T) Affordability Index developed by the Center for Neighborhood Technology (CNT). The Index was initially developed for St. Paul, Minnesota in 2006.

- Households located close to the light rail line spend a smaller percentage on housing and transportation compared to the comparable corridor
- Affordability does not necessarily increase as households move closer to the transit line

Q5: Do TODs improve job accessibility for those living in or near them?

Jobs accessibility was operationalized as the balance between number of workers and number of workers residing in the corridor, using the jobs-housing ratio as a comparison. The jobs-housing ratio for the metro was used as the preferred ratio. The differences were compared for all workers in the corridor and for workers by income levels.

- Jobs-housing ratio is higher for high and medium income households than for low income households.
- Jobs-housing ratio displays a downward trend for all income levels.
- Lower average household income within transit corridor, and fewer low income jobs available

9-REFERENCES

- Arrington, G.B. and Robert Cervero. 2008. Effects of TOD on Housing, Parking, and Travel. TCRP Report 128. Washington, DC: Transportation Research Board.
- Bartholomew, K. & Ewing, R. 2011. Hedonic price effects of pedestrian- and transit-oriented development. *Journal of Planning Literature*, 26(1), 18-34.
- Cervero, R. 1994. Transit-based housing in California: Evidence on ridership impacts, *Transport Policy*, 1(3), 174–183.
- Cervero, Robert, et al. 2004. TCRP Report 102: Transit-Oriented Development in the United States: Experiences, Challenges, and Prospects. Washington, DC: Transportation Research Board.
- US Census Bureau. Table 643, Annual Total Compensation and Wages and Salary Accruals Per Full-Time Equivalent Employee, by Industry: 2000 to 2009. <
http://www.census.gov/compendia/statab/cats/labor_force_employment_earnings/compensation_wages_and_earnings.html>
- Center for Neighborhood Technology. 'About the Index'. <http://htaindex.cnt.org/about.php>
- CTOD. 2011. Transit and Regional Economic Development. Chicago, IL: Center for TOD.
- CTOD. 2009. Mixed-Income Housing Near Transit. Chicago, IL: Center for TOD.
- CTOD. 2012. TOD Database. <http://toddata.cnt.org/>
- Fan, Y., Guthrie, A., and Levinson, D. 2012. Impact of light rail implementation on labor market accessibility: A transportation equity perspective. *Journal of Transport and Land Use*, 5(3).
- Glaeser, Edward L., Matthew E. Kahn, and Jordan Rappaport. 2008. Why do the poor live in cities? The role of public transportation. *Journal of Urban Economics* 63, no. 1: 1-24.
- Kolko, Jed. 2011. Making the Most of Transit: Density, Employment Growth, and Ridership around New Stations. San Francisco, CA: Public Policy Institute of California.
- NAHB. 2010. The Economic Impact of Low Income Housing Tax Credit Development Along Transit Corridors in Metro Denver. Washington, DC: National Association of Home Builders.
- Miller, M. M., Gibson, L. J., & Wright, N. G. 1991. Location quotient: A basic tool for economic development analysis. *Economic Development Review*, 9(2), 65.
- Nelson, Arthur C. 2011. The New California Dream. Washington, DC: The Urban Land Institute.
- Schuetz, Jenny and Jed Kolko. 2010. Does Rail Transit Investment Encourage Retail Activity? Project 11-04. Los Angeles, CA: University of Southern California, Metrans Transportation Center.

Tobler W., (1970) "A computer movie simulating urban growth in the Detroit region". *Economic Geography*, 46(2): 234-240.

Victoria Transport Policy Institute (VPTI). Evaluating Transportation Resilience. Online TDM Encyclopedia, 31 March 2014. www.vtppi.org. Accessed 31 March 2014.

Victoria Transport Policy Institute (VPTI). Transportation Affordability. Online TDM Encyclopedia, 10 September 2012. www.vtppi.org. Accessed July 2, 2013.

Vinha, Katja Pauliina. 2005. The impact of the Washington Metro on development patterns. College Park, MD: University of Maryland.

10-APPENDIX A

LEHD

The Longitudinal Employer-Household Dynamics (LEHD) program is part of the [Center for Economic Studies](#) at the [U.S. Census Bureau](#). The [LEHD program](#) produces new, cost effective, public-use information combining federal, state and Census Bureau data on employers and employees under the [Local Employment Dynamics \(LED\) Partnership](#). State and local authorities increasingly need detailed local information about their economies to make informed decisions. The LED Partnership works to fill critical data gaps and provide indicators needed by state and local authorities.

Under the LED Partnership, states agree to share Unemployment Insurance earnings data and the Quarterly Census of Employment and Wages (QCEW) data with the Census Bureau. The LEHD program combines these administrative data, additional administrative data and data from censuses and surveys. From these data, the program creates statistics on employment, earnings, and job flows at detailed levels of geography and industry and for different demographic groups. In addition, the LEHD program uses these data to create partially synthetic data on workers' residential patterns.

All 50 states, the District of Columbia, Puerto Rico, and the U.S. Virgin Islands have joined the LED Partnership, although the LEHD program is not yet producing public-use statistics for Massachusetts, Puerto Rico, or the U.S. Virgin Islands. The LEHD program staff includes geographers, programmers, and economists.

Source: <http://lehd.ces.census.gov/>